RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number: 10/559, 595Source: 1FWPDate Processed by STIC: 01/04/2006

ENTERED



DATE: 01/04/2006

IFWP

```
PATENT APPLICATION: US/10/559,595
                                                             TIME: 10:49:27
                     Input Set : F:\0501 UTL 0.ST25.txt
                     Output Set: N:\CRF4\01042006\J559595.raw
      3 <110 > APPLICANT: Ong, John
             Stetsko, Gregg
              Jennings, Robert
      7 <120> TITLE OF INVENTION: Novel Methods and Compositions for Enhanced Transmucosal
Delivery
     8
              of Peptides and Proteins
     10 <130> FILE REFERENCE: 0501-UTL-0
C--> 12 <140> CURRENT APPLICATION NUMBER: US/10/559,595
                                                                       (pg-6)
C--> 12 <141> CURRENT FILING DATE: 2005-11-30
     12 <150> PRIOR APPLICATION NUMBER: US 60/474,233
     13 <151> PRIOR FILING DATE: 2003-05-30
     15 <150> PRIOR APPLICATION NUMBER: PCT/ US2004/017456
     16 <151> PRIOR FILING DATE: 2004-05-28
     18 <160> NUMBER OF SEQ ID NOS: 292
     20 <170> SOFTWARE: PatentIn version 3.3
     22 <210> SEQ ID NO: 1
     23 <211> LENGTH: 39
     24 <212> TYPE: PRT
     25 <213> ORGANISM: Heloderma horridum
     28 <220> FEATURE:
     29 <221> NAME/KEY: MOD RES
     30 <222> LOCATION: (39)..(39)
     31 <223> OTHER INFORMATION: AMIDATION
     33 <400> SEQUENCE: 1
     35 His Ser Asp Gly Thr Phe Thr Ser Asp Leu Ser Lys Gln Met Glu Glu
                                            10
     39 Glu Ala Val Arg Leu Phe Ile Glu Trp Leu Lys Asn Gly Gly Pro Ser
     40
                    20
                                        25
     43 Ser Gly Ala Pro Pro Pro Ser
                35
     47 <210> SEQ ID NO: 2
     48 <211> LENGTH: 39
     49 <212> TYPE: PRT
     50 <213> ORGANISM: Heloderma suspectum
     52 <400> SEQUENCE: 2
     54 His Gly Glu Gly Thr Phe Thr Ser Asp Leu Ser Lys Gln Met Glu Glu
     55 1
                                            10
     58 Glu Ala Val Arg Leu Phe Ile Glu Trp Leu Lys Asn Gly Gly Pro Ser
     62 Ser Gly Ala Pro Pro Pro Ser
                35
     66 <210> SEQ ID NO: 3
     67 <211> LENGTH: 39
```

RAW SEQUENCE LISTING

68 <212> TYPE: PRT

RAW SEQUENCE LISTING PATENT APPLICATION: US/10/559,595 Input Set: F:\0501_UTL_0.ST25.txt Output Set: N:\CRF4\01042006\J559595.raw ISM: Artificial Sequence

- 69 <213> ORGANISM: Artificial Sequence 71 <220> FEATURE: 72 <223> OTHER INFORMATION: Synthetic construct 74 <220> FEATURE: 75 <221> NAME/KEY: VARIANT 76 <222> LOCATION: (1)..(1) 77 <223> OTHER INFORMATION: His, Arg or Tyr 79 <220> FEATURE: 80 <221> NAME/KEY: VARIANT 81 <222> LOCATION: (2)..(2) 82 <223> OTHER INFORMATION: Ser, Gly, Ala or Thr 84 <220> FEATURE: 85 <221> NAME/KEY: VARIANT 86 <222> LOCATION: (3)..(3) 87 <223> OTHER INFORMATION: Asp or Glu 89 <220> FEATURE: 90 <221> NAME/KEY: VARIANT 91 <222> LOCATION: (6)..(6) 92 <223> OTHER INFORMATION: Phe, Thr or naphthylalanine 94 <220> FEATURE: 95 <221> NAME/KEY: VARIANT 96 <222> LOCATION: (7)..(7) 97 <223> OTHER INFORMATION: Thr or Ser 99 <220> FEATURE: 100 <221> NAME/KEY: VARIANT 101 <222> LOCATION: (8) .. (8) 102 <223> OTHER INFORMATION: Ser or Thr 104 <220> FEATURE: 105 <221> NAME/KEY: VARIANT 106 <222> LOCATION: (9)..(9) 107 <223> OTHER INFORMATION: Asp or Glu 109 <220> FEATURE: 110 <221> NAME/KEY: VARIANT 111 <222> LOCATION: (10)..(10) 112 <223> OTHER INFORMATION: Leu, Ile, Val, pentylglycine or Met 114 <220> FEATURE: 115 <221> NAME/KEY: VARIANT 116 <222> LOCATION: (14)..(14) 117 <223> OTHER INFORMATION: Leu, Ile, pentylglycine, Val or Met 119 <220> FEATURE: 120 <221> NAME/KEY: VARIANT 121 <222> LOCATION: (22)..(22) 122 <223> OTHER INFORMATION: Phe, Tyr or napthtylalanine 124 <220> FEATURE: 125 <221> NAME/KEY: VARIANT 126 <222> LOCATION: (23)..(23) 127 <223> OTHER INFORMATION: Ile, Val, Leu, pentylglycine, t-butylglycine or Met
- 130 <221> NAME/KEY: VARIANT

129 <220> FEATURE:

DATE: 01/04/2006

TIME: 10:49:27

```
Input Set : F:\0501_UTL_0.ST25.txt
                     Output Set: N:\CRF4\01042006\J559595.raw
     131 <222> LOCATION: (24)..(24)
     132 <223> OTHER INFORMATION: Glu or Asp
     134 <220> FEATURE:
     135 <221> NAME/KEY: VARIANT
     136 <222> LOCATION: (25)..(25)
     137 <223> OTHER INFORMATION: Trp, Phe, Tyr or naphthylalanine
     139 <220> FEATURE:
     140 <221> NAME/KEY: VARIANT
     141 <222> LOCATION: (31)..(31)
     142 <223> OTHER INFORMATION: Pro, homoproline, 3Hyp, 4Hyp, thioproline, N-alkylglycine,
               N-alkylpentylglycine, or N-alkylalanine
     145 <220> FEATURE:
     146 <221> NAME/KEY: VARIANT
     147 <222> LOCATION: (36)..(38)
     148 <223> OTHER INFORMATION: Pro, homoproline, 3Hyp, 4Hyp, thioproline, N-alkylglycine,
     149
               N-alkylpentylglycine or N-alkylalanine
     151 <220> FEATURE:
     152 <221> NAME/KEY: VARIANT
     153 <222> LOCATION: (39)..(39)
     154 <223> OTHER INFORMATION: Optional amidation
     156 <220> FEATURE:
     157 <221> NAME/KEY: VARIANT
     158 <222> LOCATION: (39)..(39)
     159 <223> OTHER INFORMATION: Ser, Thr or Tyr
     161 <400> SEQUENCE: 3
W--> 163 Xaa Xaa Xaa Gly Thr Xaa Xaa Xaa Xaa Ser Lys Gln Xaa Glu Glu
     164 1
                                             10
W--> 167 Glu Ala Val Arg Leu Xaa Xaa Xaa Leu Lys Asn Gly Gly Xaa Ser
W--> 171 Ser Gly Ala Xaa Xaa Xaa
     172
                 35
     175 <210> SEQ ID NO: 4
     176 <211> LENGTH: 38
     177 <212> TYPE: PRT
     178 <213> ORGANISM: Artificial Sequence
     180 <220> FEATURE:
     181 <223> OTHER INFORMATION: Synthetic construct
     184 <220> FEATURE:
     185 <221> NAME/KEY: VARIANT
     186 <222> LOCATION: (1)..(1)
     187 <223> OTHER INFORMATION: His, Arg, or Tyr
     189 <220> FEATURE:
     190 <221> NAME/KEY: VARIANT
     191 <222> LOCATION: (2)..(2)
     192 <223> OTHER INFORMATION: Ser, Gly, Ala or Thr
     194 <220> FEATURE:
     195 <221> NAME/KEY: VARIANT
     196 <222> LOCATION: (3)..(3)
     197 <223> OTHER INFORMATION: Ala, Asp or Glu
```

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/559,595

RAW SEQUENCE LISTING DATE: 01/04/2006 PATENT APPLICATION: US/10/559,595 Input Set : F:\0501_UTL_0.ST25.txt

```
Output Set: N:\CRF4\01042006\J559595.raw
199 <220> FEATURE:
200 <221> NAME/KEY: VARIANT
201 <222> LOCATION: (5)..(5)
202 <223> OTHER INFORMATION: Ala or Thr
204 <220> FEATURE:
205 <221> NAME/KEY: VARIANT
206 <222> LOCATION: (6)..(6)
207 <223> OTHER INFORMATION: Ala, Phe, Tyr or napthylalanine
209 <220> FEATURE:
210 <221> NAME/KEY: VARIANT
211 <222> LOCATION: (7)..(7)
212 <223> OTHER INFORMATION: Thr or Ser
214 <220> FEATURE:
215 <221> NAME/KEY: VARIANT
216 <222> LOCATION: (8)..(8)
217 <223> OTHER INFORMATION: Ala, Ser or Thr
219 <220> FEATURE:
220 <221> NAME/KEY: VARIANT
221 <222> LOCATION: (9)..(9)
222 <223> OTHER INFORMATION: Asp or Glu
224 <220> FEATURE:
225 <221> NAME/KEY: VARIANT
226 <222> LOCATION: (10)..(10)
227 <223> OTHER INFORMATION: Ala, Leu, Ile, Val, pentylglycine or Met
229 <220> FEATURE:
230 <221> NAME/KEY: VARIANT
231 <222> LOCATION: (11) .. (11)
232 <223> OTHER INFORMATION: Ala or Ser
234 <220> FEATURE:
235 <221> NAME/KEY: VARIANT
236 <222> LOCATION: (12)..(12)
237 <223> OTHER INFORMATION: Ala or Lys
239 <220> FEATURE:
240 <221> NAME/KEY: VARIANT
241 <222> LOCATION: (13)..(13)
242 <223> OTHER INFORMATION: Ala or Gln
244 <220> FEATURE:
245 <221> NAME/KEY: VARIANT
246 <222> LOCATION: (14)..(14)
247 <223> OTHER INFORMATION: Ala, Leu, Ile, pentylglycine, Val or Met
249 <220> FEATURE:
250 <221> NAME/KEY: VARIANT
251 <222> LOCATION: (15)..(17)
252 <223> OTHER INFORMATION: Ala or Glu
254 <220> FEATURE:
255 <221> NAME/KEY: VARIANT
256 <222> LOCATION: (19)..(19)
257 <223> OTHER INFORMATION: Ala or Val
```

259 <220> FEATURE:

DATE: 01/04/2006

TIME: 10:49:27

Input Set : F:\0501 UTL 0.ST25.txt Output Set: N:\CRF4\01042006\J559595.raw 260 <221> NAME/KEY: VARIANT 261 <222> LOCATION: (20)..(20) 262 <223> OTHER INFORMATION: Ala or Arg 264 <220> FEATURE: 265 <221> NAME/KEY: VARIANT 266 <222> LOCATION: (21)..(21) 267 <223> OTHER INFORMATION: Ala or Leu 269 <220> FEATURE: 270 <221> NAME/KEY: VARIANT 271 <222> LOCATION: (22)..(22) 272 <223> OTHER INFORMATION: Ala, Phe, Tyr or naphthylalanine 274 <220> FEATURE: 275 <221> NAME/KEY: VARIANT 276 <222> LOCATION: (23)..(23) 277 <223> OTHER INFORMATION: Ile, Val, Leu, pentylglycine, t-butylglycine or Met 279 <220> FEATURE: 280 <221> NAME/KEY: VARIANT 281 <222> LOCATION: (24)..(24) 282 <223> OTHER INFORMATION: Ala, Glu or Asp 284 <220> FEATURE: 285 <221> NAME/KEY: VARIANT 286 <222> LOCATION: (25)..(25) 287 <223> OTHER INFORMATION: Ala, Trp, Phe, Tyr or naphthylalanine 289 <220> FEATURE: 290 <221> NAME/KEY: VARIANT 291 <222> LOCATION: (26)..(26) 292 <223> OTHER INFORMATION: Ala or Leu 294 <220> FEATURE: 295 <221> NAME/KEY: VARIANT 296 <222> LOCATION: (27)..(27) 297 <223> OTHER INFORMATION: Ala or Lys 299 <220> FEATURE: 300 <221> NAME/KEY: VARIANT 301 <222> LOCATION: (28)..(28) 302 <223> OTHER INFORMÁTION: Ala or Asn and optionally amidated if positions 29-28 absent 304 <220> FEATURE: 305 <221> NAME/KEY: VARIANT 306 <222> LOCATION: (29)..(29) 307 <223> OTHER INFORMATION: Gly or absent and optionally amidated if positions 30-38 absent 309 <220> FEATURE: 310 <221> NAME/KEY: VARIANT 311 <222> LOCATION: (30)..(30) 312 <223> OTHER INFORMATION: Gly or absent and optionally amidated if positions 31-38 absent 314 <220> FEATURE: 315 <221> NAME/KEY: VARIANT 316 <222> LOCATION: (31)..(31) 317 <223> OTHER INFORMATION: Pro, homoproline, 3Hyp, 4Hyp, thioproline, N-alkylglycine, 318 N-alkylpentylglycine N-alkylalanine or absent and optionally 319 amidated if positions 32-38 absent

US/10/559,595

RAW SEQUENCE LISTING

PATENT APPLICATION:

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 01/04/2006 PATENT APPLICATION: US/10/559,595 TIME: 10:49:28

Input Set : F:\0501_UTL_0.ST25.txt

Output Set: N:\CRF4\01042006\J559595.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:3; Xaa Pos. 1,2,3,6,7,8,9,10,14,27,23,24,25,31,36,37,38,39, Seq#:4; Xaa Pos. 1,2,3,5,6,7,8,9,10,11,12,18,14,15,16,17,19,20,21,22,23,24 Seq#:4; Xaa Pos. 25,26,27,28,31,36,37,38 Seq#:5; Xaa Pos. 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,19,20,21,22,23 Seq#:5; Xaa Pos. 24,25,26,27,28,31,36,37,38,39 Seq#:244; Xaa Pos. 2,5,6,10,16,17,18,20,21,25,27,28,29,30,31,32

Seq#:245; Xaa Pos. 2,6,10,16,17,20,24,29,31,32

Seq#:246; Xaa Pos. 2,16,17,21,24,31,32 Seq#:247; Xaa Pos. 1,2,16,31

Seg#:248; Xaa Pos. 1,2,7,13,17,18,19,20,21,23,25,26,28,29,31

VERIFICATION SUMMARY DATE: 01/04/2006 PATENT APPLICATION: US/10/559,595 TIME: 10:49:28

Input Set : F:\0501_UTL_0.ST25.txt
Output Set: N:\CRF4\01042006\J559595.raw

```
L:12 M:270 C: Current Application Number differs, Replaced Current Application No
L:12 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L\!:\!163 M\!:\!341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
L:167 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:16
L:171 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:32
L:365 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
L:369 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:16
L:373 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:32
L:576 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
L:580 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:16
L:584 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:32
L:6645 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:244 after pos.:0
L:6649 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:244 after pos.:16
L:6717 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:245 after pos.:0
L:6721\ M:341\ W: (46) "n" or "Xaa" used, for SEQ ID#:245 after pos.:16
L:6773 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:246 after pos.:0
L:6777 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:246 after pos.:16
L:6819 \text{ M}:341 \text{ W}: (46) \text{ "n" or "Xaa" used, for SEQ ID$$\#:247 after pos.:0}
L:6823 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:247 after pos.:16
L:6921 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:248 after pos.:0
L:6925 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:248 after pos.:16
```